

Israel GLP Compliance Monitoring Unit

GLP Statement of Compliance No. 278 Yitzhak Shamir (Assaf-Harofeh) Medical Center Pre-Clinical R&D Unit

Address: Zerifin, 703000, Israel

Valid from: 06.03.2024

Until: 31.03.2026

The test facility has been inspected by the Israel GLP compliance monitoring unit and has been found to be in compliance to OECD Principles of Good Laboratory Practice (GLP), as revised in 1997 and adopted on 26th November 1997 by decision of the OECD Council (C (97)186/Final) in the following areas of expertise:

- Other studies:
 - Pharmacokinetics
 - Biocompatibility Medical Devices
 - Toxicity

Israel Laboratory Accreditation Authority (ISRAC) recognizes and confirms that the test facility is able to conduct the aforementioned studies in compliance with the OECD principles of GLP.

Date of first recognition: 01.04.2012

Etty Feller

General Manager
Israel Laboratory Accreditation Authority

Date of signature 06/03/2024

Page **1** of **4**



Israel GLP Compliance Monitoring Unit

GLP Statement of Compliance No. 278 Test Facility name: Yitzhak Shamir (Assaf-Harofeh) Medical Center

Pre-Clinical R&D Unit

Site No. 1: Blumental Farm-Goats & sheep

Address:: 42 Jabotinsky st., Beer Yaakov, Israel

Valid from: 06.03.2024 Until: 31.03.2026

The test facility has been inspected by the Israel GLP compliance monitoring unit and has been found to be in compliance to OECD Principles of Good Laboratory Practice (GLP), as revised in 1997 and adopted on 26th November 1997 by decision of the OECD Council (C (97)186/Final) in the following areas of expertise:

- Other studies:
 - Pharmacokinetics
 - Biocompatibility Medical Devices

Israel Laboratory Accreditation Authority (ISRAC) recognizes and confirms that the test facility is able to conduct the aforementioned studies in compliance with the OECD principles of GLP.

Date of first recognition: 16.11.2015

Etty Feller

General Manager
Israel Laboratory Accreditation Authority

Date of signature 06/03/2024

Page 2 of 4



Israel GLP Compliance Monitoring Unit GLP Statement of Compliance No. 278 Test Facility name: Yitzhak Shamir (Assaf-Harofeh) Medical Center

Pre-Clinical R&D Unit Site No. 2: Pathology

Address: Yehuda HaMaccabi 31, Tel Aviv, 6200515

Valid from: 06.03.2024 Until: 31.03.2026

The test facility has been inspected by the Israel GLP compliance monitoring unit and has been found to be in compliance to OECD Principles of Good Laboratory Practice (GLP), as revised in 1997 and adopted on 26th November 1997 by decision of the OECD Council (C (97)186/Final) in the following areas of expertise:

Other studies:

Date of first recognition: 16.11.2015

Toxicological Pathology

Israel Laboratory Accreditation Authority (ISRAC) recognizes and confirms that the test facility is able to conduct the aforementioned studies in compliance with the OECD principles of GLP.

Etty Feller

General Manager
Israel Laboratory Accreditation Authority

Date of signature 06/03/2024 Page **3** of **4**



Israel GLP Compliance Monitoring Unit

GLP Statement of Compliance No. 278

Test Facility name: Yitzhak Shamir (Assaf-Harofeh) Medical Center

Pre-Clinical R&D Unit

Site No. 3: Shamir Veterinary Labs

Address: Yitzhak Shamir (Assaf Harofeh) Medical Center, 703000, Israel

Valid from: 06.03.2024 Until: 31.03.2026

The test facility has been inspected by the Israel GLP compliance monitoring unit and has been found to be in compliance to OECD Principles of Good Laboratory Practice (GLP), as revised in 1997 and adopted on 26th November 1997 by decision of the OECD Council (C (97)186/Final) in the following areas of expertise:

• Analytical and Clinical Chemistry Testing

Israel Laboratory Accreditation Authority (ISRAC) recognizes and confirms that the test facility is able to conduct the aforementioned studies in compliance with the OECD principles of GLP.

Date of first recognition: 24.12.2019

Etty Feller

General Manager
Israel Laboratory Accreditation Authority

Date of signature 06/03/2024

Page **4** of **4**